

Rising AP Calculus AB/ AP Accelerated Calculus BC Summer Assignment

All students who have completed Precalculus and will be taking either AP Calculus AB or AP Accelerated Calculus BC are to complete the enclosed assignment. Pay careful attention to the directions for each section. Notice that a few example problems are given within each section to help jog your memory of how to work that style of problem. Your assignment should take no more than 5 hours to complete. If you have trouble with any particular concept, we recommend that you review your notes from last year or utilize online resources, such as Khan Academy. The assignment is due on the first day of school to your calculus teacher.

Please direct all questions to the math department chair, Mr. Divers. He is available by email: ddivers@rvgs.k12.va.us

Student's Name _____

Summer Packet for Students entering AP Calculus
 (Students who have successfully completed Math Analysis/Trig or a similar PreCalculus course)

Show your work throughout this Summer Packet!

Use the rules of logarithms to simplify expressions and solve equations.
 Give exact answers such as in the second example. No calculator rounded decimals.

<p>Example: $2 \log x + 3 \log y - \log x$ $\log x^2 + \log y^3 - \log x$ $\log x^2 y^3 - \log x$ $\log \frac{x^2 y^3}{x}$ $\log x y^3$</p>	<p>Example: $e^{3x+6} = 27$ $\ln e^{3x+6} = \ln 27$ $3x + 6 = \ln 27$ $3x = \ln 27 - 6$ $x = \frac{\ln 27 - 6}{3}$ $x = \frac{1}{3} \ln 27 - 2$ $x = \ln 27^{\frac{1}{3}} - 2$ $x = \ln 3 - 2$</p>	<p>1. $3 \ln x + \ln y$</p>
<p>3. $2 \log 6 + 3 \log 2 - \log 3$</p>	<p>4. $0.5 \ln 9$</p>	<p>2. $2 \ln x - \frac{1}{2} \ln x$</p>
<p>8. $e^{2x+4} = 25$</p>	<p>9. $\ln x - 3 \ln x + 4 \ln y - \frac{1}{2} \ln 9$</p>	<p>6. $\log 1$</p>
	<p>5. $\ln 1$</p>	<p>7. $\ln e^3 + \log 100$</p>
		<p>10. $e^{3x+5} = e^{5x+2}$</p>



Student's Name _____

Find an equation for each line. Use the formula $y - y_1 = m(x - x_1)$ for each problem.

<p>Example: Slope = 3, through (2,5).</p> $y - 5 = 3(x - 2)$ $y + 5 = 3x - 6$ $y = 3x - 11$	<p>Example: Perpendicular to $y = \frac{-2}{3}x - 8$, through (4,7).</p> $y - 7 = \frac{3}{2}(x - 4)$ $y - 7 = \frac{3}{2}x - \frac{12}{2}$ $y - 7 = \frac{3}{2}x - 6$ $y = \frac{3}{2}x + 1$	<p>Example: Parallel to $4x - 3y = 7$, through (2,0).</p> $4x - 3y = 7$ $-3y = -4x + 7$ $y = \frac{4}{3}x + \frac{-7}{3}$ $y - 0 = \frac{4}{3}(x - 2)$ $y = \frac{4}{3}x - \frac{8}{3}$
<p>11. Slope = 5, through (-3, -2).</p>	<p>12. Perpendicular to $y = \frac{3}{5}x + 6$, through (6, 2).</p>	<p>13. Parallel to $3x + y = 8$, Through (-2, -1).</p>
<p>14. Through (5, 2) and (-3, 6).</p>	<p>15. Slope = $\frac{2}{7}$, through (6, 0).</p>	<p>16. Through (-3, -5), and (0, -8).</p>

Student's Name _____

Questions 17-21, Fill in the coordinates below in simplified radical form.





Complete the coordinates for the terminal positions of the indicated angles drawn on these unit circles.
Write the radian measure on the terminal side of each angle in standard position, like $\pi/6, \pi/4, \pi$.

Complete the right triangle definitions of the basic trigonometric ratios.

22. $\sin \theta =$ _____
 $\cos \theta =$ _____
 $\tan \theta =$ _____


Supply the missing sides of the 45-45-90 and 30-60-90 right triangles.



23. $AC =$ _____ $CB =$ _____

24. $DE =$ _____ $EF =$ _____

25. Find a, b, and c.



26. Solve:


$$2x^2 - 4x = 6$$

27. Solve:

$$3x^2 - 8x + 2 = 0$$

Student's Name _____

The unit circles below are for reference only. You may fill in angles and coordinates if you wish.



Complete the coordinates for the terminal positions of the indicated angles drawn on these unit circles.
Write the radian measure on the terminal side of each angle in standard position, like $\pi/6, \pi/4, \pi$.

<p>Use the following unit circle coordinate definitions of the six trig functions to express the following trig ratios in simplified radical form.</p> $\sin \theta = y \quad \csc \theta = \frac{1}{y}$ $\cos \theta = x \quad \sec \theta = \frac{1}{x}$ $\tan \theta = \frac{y}{x} \quad \cot \theta = \frac{x}{y}$	<p>Example: $\sin \frac{3\pi}{2} = ?$</p> $\sin \theta = y, \quad \sin \frac{3\pi}{2} = -1$ <p>Example: $\sec \frac{\pi}{6} = ?$</p> $\sec \theta = \frac{1}{x}$ $\sec \frac{\pi}{6} = \frac{1}{\frac{\sqrt{3}}{2}} = \frac{2}{\sqrt{3}} = \frac{2}{\sqrt{3}} \cdot \frac{\sqrt{3}}{\sqrt{3}} = \frac{2\sqrt{3}}{3}$	<p>Example: $\tan \frac{\pi}{6} = ?$</p> $\tan \theta = \frac{y}{x}$ $\tan \frac{\pi}{6} = \frac{\frac{1}{2}}{\frac{\sqrt{3}}{2}} = \frac{1}{2} \cdot \frac{2}{\sqrt{3}} = \frac{1}{\sqrt{3}} = \frac{1}{\sqrt{3}} \cdot \frac{\sqrt{3}}{\sqrt{3}} = \frac{\sqrt{3}}{3}$
<p>28. $\sin \frac{5\pi}{4} = ?$</p>	<p>29. $\sec \frac{2\pi}{3} = ?$</p>	<p>30. $\tan \frac{\pi}{3} = ?$</p>
<p>31. $\csc 2\pi = ?$</p>	<p>32. $\cos \frac{11\pi}{6} = ?$</p>	<p>33. $\cot \frac{7\pi}{4} = ?$</p>
<p>34. $\csc \frac{3\pi}{4} = ?$</p>	<p>35. $\cot \frac{\pi}{2} = ?$</p>	<p>36. $\sin \frac{7\pi}{6} = ?$</p>

Student's Name _____

Draw a diagram and set up an appropriate trig ratio to solve the following problems. Make sure that your calculator is set to the correct MODE, radian or degree.

37. An airplane is flying at an altitude of 4000 feet above the ground. The pilot sights the beginning of the runway at an angle of depression of $\frac{\pi}{6}$ radians. What is the slant range from the airplane to the beginning of the runway.

38. A man standing on top of a 100 ft building sites the top of a nearby building at an angle of elevation of $\frac{\pi}{8}$. If he knows the nearby building is 160 feet high, what is his horizontal distance from that building.

39. A tree casts a 48 ft shadow when the sun's elevation in the sky is $\frac{3\pi}{5}$ radians. How tall is the tree?

40. An isosceles triangle has base angles of 65° and a base of 14 km. Calculate the height of the triangle, and then determine the area of the triangle. Identify the units in your answers.

41. A right triangle has legs of 14 cm and 23 cm. Determine the degree measure of the angle opposite the 14 cm leg. (Round answer to the nearest tenth).

42. Write the following sentence as an "if...then..." conditional. Then write its' inverse, converse, and contrapositive sentences. Identify each of the 4 sentences as true or false.

All rectangles are parallelograms.

Student's Name _____

Use the following functions to answer the questions on this page and the next page. Write the answers for domain and range in interval notation.

$$\begin{aligned}
 f(x) &= \sqrt{3x-7} - 4 & k(x) &= \frac{4x+8}{x^2-5x-24} & p(x) &= \ln(6x-3) \\
 g(x) &= |2x-6| - 5 & m(x) &= \sqrt{5x+8} - 3 & r(x) &= \frac{3x+2}{x^2-4} \\
 h(x) &= \ln(-5x+2) & n(x) &= |2x-4| - 1 & s(x) &= \frac{x^2-9}{x^2+7x+10}
 \end{aligned}$$

<p>Example: What is the domain of f?</p> $ \begin{aligned} 3x - 7 &\geq 0 \\ 3x &\geq 7 \\ x &\geq \frac{7}{3} \\ \left[\frac{7}{3}, \infty\right) \end{aligned} $ <p>What is the range of f?</p> $ \begin{aligned} \sqrt{0} - 4 &= -4 \\ [-4, \infty) \end{aligned} $	<p>Example: What are the zeros of f?</p> $ \begin{aligned} \sqrt{3x-7} - 4 &= 0 \\ \sqrt{3x-7} &= 4 \\ (\sqrt{3x-7})^2 &= 4^2 \\ 3x - 7 &= 16 \\ 3x &= 23 \\ x &= \frac{23}{3} \end{aligned} $	<p>Example: What are the zeros of g?</p> $ \begin{aligned} 2x-6 - 5 &= 0 \\ 2x-6 &= 5 \\ 2x-6 = 5 & \quad 2x-6 = -5 \\ 2x = 11 & \quad 2x = 1 \\ x = \frac{11}{2} & \quad x = \frac{1}{2} \end{aligned} $
<p>Example: What is the domain of h?</p> $ \begin{aligned} -5x + 2 &> 0 \\ -5x &> -2 \\ x &< \frac{2}{5} \\ (-\infty, \frac{2}{5}) \end{aligned} $ <p>What is the range of h?</p> $ (-\infty, \infty) $ <p>What are the zeros of h?</p> <p>There are none.</p>	<p>Example: What is the domain of k?</p> $ \begin{aligned} x^2 - 5x - 24 &\neq 0 \\ (x-8)(x+3) &\neq 0 \\ x-8 \neq 0 & \quad x+3 \neq 0 \\ x \neq 8 & \quad x \neq -3 \\ (-\infty, -3) \cup &(-3, 8) \cup (8, \infty) \end{aligned} $ <p>What are the zeros of k?</p> $ \begin{aligned} 4x + 8 &= 0 \\ 4x &= -8 \\ x &= -2 \end{aligned} $	<p>43. What is the domain of m?</p> <p>44. What is the range of m?</p>
<p>45. What are the zeros of m?</p>	<p>46. What is the domain of n?</p> <p>47. What is the range of n?</p>	<p>48. What are the zeros of n?</p>

Student's Name _____

Use the following functions to answer the questions on this page. Write the answers for domain and range in interval notation.

$$f(x) = \sqrt{3x-7} - 4 \quad k(x) = \frac{4x+8}{x^2-5x-24} \quad p(x) = \ln(6x-3)$$

$$g(x) = |2x-6| - 5 \quad m(x) = \sqrt{5x+8} - 3 \quad r(x) = \frac{3x+2}{x^2-4}$$

$$h(x) = \ln(-5x+2) \quad n(x) = |2x-4| - 1 \quad s(x) = \frac{x^2-9}{x^2+7x+10}$$

49. What is the domain of p ?	50. What are the zeros of p ?	51. What is the domain of r ?
52. What are the zeros of r ?	53. What is the domain of s ?	54. What are the zeros of s ?
<p>Example: Find f^{-1}, the inverse of f. $y = \sqrt{3x-7} - 4$ <i>exchange x and y</i> $x = \sqrt{3y-7} - 4$ $x + 4 = \sqrt{3y-7}$ $x^2 + 8x + 16 = 3y - 7$ $x^2 + 8x + 23 = 3y$ $y = \frac{x^2+8x+23}{3}$ $f^{-1}(x) = \frac{x^2+8x+23}{3}$</p>	55. Find m^{-1} .	56. Find p^{-1} .

Student's Name _____

Use the following functions to answer the questions on this page.

$$f(x) = 3x - 6 \quad j(x) = x - x^3$$

$$g(x) = e^{x+4} \quad k(x) = 3x$$

$$h(x) = x^2 - 5 \quad m(x) = \frac{x^2}{x-3}$$

<p>Example: Find $f(4)$.</p> $f(4) = 3 \cdot 4 - 6$ $= 12 - 6$ $= 6$ <p>Example: Find $(f \cdot h)(2)$.</p> $(f \cdot h)(2) = f(2) \cdot h(2)$ $= (3 \cdot 2 - 6)(2^2 + 5)$ $= (6 - 6)(4 + 5)$ $= (0)(9)$ $= 0$	<p>Example: Find $(k - j)(z^2)$.</p> $(k - j)(z^2) = 3(z^2) - [(z^2) - (z^2)^3]$ $= 3z^2 - [z^2 - z^6]$ $= 3z^2 - z^2 + z^6$ $= 2z^2 + z^6$	<p>Example: Find $[m \circ k](x)$.</p> $[m \circ k](x) = m(k(x))$ $= m(3x)$ $= \frac{(3x)^2}{(3x) - 3}$ $= \frac{9x^2}{3x - 3}$ $= \frac{9x^2}{3(x - 1)}$ $= \frac{3x^2}{x - 1}$
<p>57. Find f^{-1}.</p>	<p>58. Find $m(-4)$.</p>	<p>59. Find $(f \cdot j)(x)$.</p>
<p>60. Find $(h \circ k)(x)$.</p>	<p>61. Find $(g \circ f)(x)$.</p>	<p>62. Find $(j \div k)(x)$.</p>
<p>63. Find $m(b + 3)$.</p>	<p>64. Find $(m \circ k)(x)$.</p>	<p>65. Find $(h \circ g)(x)$.</p>

Student's Name _____




Use the following functions to answer the questions on this page.

$$f(x) = 3x - 6 \quad j(x) = x - x^3$$

$$g(x) = e^{x+4} \quad k(x) = 3x$$













$$h(x) = x^2 - 5 \quad m(x) = \frac{x^2}{x-3}$$

66. Find $(g \div f)(-4)$.	67. Find $(f + k)(5)$.	68. Find $(h \circ m)(2)$.
69. Find $(k \circ j)(-2)$.	70. Find $m(3)$.	71. What are the zeros of j ?
72. Where do f and h intersect?	73. Where do f and k intersect?	74. Where do j and k intersect?
75. Graph $y = x$	76. Graph $y = x^2$	77. Graph $y = x^3$



Student's Name _____

The three graphs on the previous page and all the graphs on this page should be graphed from memory, without the use of a graphing calculator. The last three require some knowledge of basic transformations, specifically shifting left or right and shifting up or down. **Label axes.**

<p>78. Graph $y = \sqrt{x}$</p> 	<p>79. Graph $y = \frac{1}{x}$</p> 	<p>80. Graph $y = x$</p> 
<p>81. Graph $y = e^x$</p> 	<p>82. Graph $y = \ln x$</p> 	<p>83. Graph $y = \sin x, [0, 2\pi]$</p> 
<p>84. Graph $y = \cos x, [0, 2\pi]$</p> 	<p>85. Graph $y = \tan x, [-\frac{\pi}{2}, \frac{\pi}{2}]$</p> 	<p>86. Graph $y = e^{x-2}$</p> 
<p>87. Graph $y = x-2 -1$</p> 	<p>88. Graph $y = (x+1.5)^3$</p> 	<p>89. Graph $y = 2 + \sqrt{x+1}$</p> 

Student's Name _____

Simplify each rational expression. Make sure there is only one fraction in your answer (other than exponents) and there are no negative exponents in your answer.

<p>Example:</p> $\frac{3x^2 - 6x - 24}{3x^2 + 2x - 8}$ $\frac{3(x^2 - 2x - 8)}{(3x - 4)(x + 2)}$ $\frac{3(x - 4)(x + 2)}{(3x - 4)(x + 2)}$ $\frac{3x - 12}{3x - 4}$	<p>Example:</p> $\frac{3x^{\frac{1}{2}} + 2x^{\frac{3}{2}} - x^5}{x^{\frac{5}{2}}}$ $\frac{x^{\frac{1}{2}}(3 + 2x - x^{\frac{9}{2}})}{x^{\frac{5}{2}}}$ $\frac{3 + 2x - x^{\frac{9}{2}}}{x^2}$	<p>Example:</p> $\frac{3x^{-2} + \frac{5}{4}x - \frac{1}{4}x^{-1}}{(3x^2)^2}$ $\frac{\frac{1}{4}(12x^{-2} + 5x - x^{-1})}{9x^4}$ $\frac{\frac{1}{4}x^{-2}(12 + 5x^3 - x)}{9x^4}$ $\frac{12 + 5x^3 - x}{36x^6}$
<p>90. $\frac{x^2 - 25}{x^2 - 12x + 35}$</p>	<p>91. $\frac{5x^{\frac{3}{2}} + 10x^{\frac{1}{2}} - 5x^{\frac{5}{2}}}{10x^{\frac{3}{2}}}$</p>	<p>92. $\frac{4x^2 - 12x - 40}{x^2 - 8x + 15}$</p>
<p>93. $\frac{3x^{\frac{3}{2}} + 4x^{\frac{3}{2}} - 5x^{\frac{1}{2}}}{6x^{\frac{5}{2}}}$</p>	<p>94. $\frac{4e^{-x} - 6e^x + 2e^{2x}}{(e^{-x})^2}$</p>	<p>95. $\frac{4x^{-2} + 2x - 6x^{-1}}{8x^2}$</p>
<p>96. $\frac{\frac{1}{3}x^2 - 5x + \frac{2}{3}x^4}{4x^3}$</p>	<p>97. $\frac{3xy^{-1} + 4x^{-1}y - 5x^2}{2xy}$</p>	<p>98. Find the midpoint of, the slope of, and the distance between the points (3,-6) and (-5,-2).</p>